

**AMENDMENTS TO THE ABSTRACT:**

Please replace the paragraph (Abstract) beginning at page 22, line 1 with the following rewritten version:

**ABSTRACT**

A cylinder body **2** is sandwiched between a front head **7** and a rear head. ~~8~~ and a A high pressure port ~~10~~ is formed in the front head **7**. A roller **3** of a piston **5** is configured such that top and bottom end surfaces thereof have different widths. The roller **3** is arranged such that one of the top and bottom end surfaces having a larger width faces the front head **7**.

Serial No.: New – PCT/ JP2004/008512 Nat'l Phase  
Filed: Herewith

**AMENDMENTS TO THE DRAWINGS:**

The attached sheets of drawings include a change to Figures 13-15 to include "Prior Art". These replacement sheets, which include Figures 13-15, replace the original sheets that included Figures 13-15.


Attachment: two (2) replacement sheets

Serial No.: New – PCT/ JP2004/008512 Nat'l Phase  
Filed: Herewith

**REMARKS**

The foregoing amendments are being made to the present application to more closely conform the present application to U.S. practice. Entrance of this Amendment is respectfully requested.

Respectfully submitted,



David L. Tarnoff  
Attorney of Record  
Reg. No. 32,383

SHINJYU GLOBAL IP COUNSELORS, LLP  
1233 Twentieth Street, NW, Suite 700  
Washington, D.C. 20036  
(202)-293-0444  
Dated: 12-8-05

G:\12-DEC05-KK\DK-US055289 preliminary amendment.doc